Contents Volume 64 (1991)

Vol. 64, Nos. 1+2 (November 15, 1991)

Publisher's Note v
Microporous membrane formation via thermally-induced phase separation. II. Liquid–liquid phase separation
D.R. Lloyd, S.S. Kim (Austin, TX, USA) and K.E. Kinzer (St. Paul, MN, USA) 1
Microporous membrane formation via thermally-induced phase separation. III. Effect of thermodynamic interactions on the structure of isotactic polypropylene membranes
S.S. Kim and D.R. Lloyd (Austin, TX, USA) 13
Microporous membrane formation via thermally-induced phase separation. IV. Effect of isotactic polypropylene crystallization kinetics on membrane structure
G.B.A. Lim, S.S. Kim, Q. Ye, Y.F. Wang and D.R. Lloyd (Austin, TX, USA) 31
Microporous membrane formation via thermally-induced phase separation. V. Effect of diluent mobility and crystallization on the structure of isotactic polypropylene membranes
S.S. Kim, G.B.A. Lim, A.A. Alwattari, Y.F. Wang and D.R. Lloyd (Austin, TX, USA) 41
Microporous membrane formation via thermally-induced phase separation. VI. Effect of diluent morphology and relative crystallization kinetics on polypropylene membrane structure
A.A. Alwattari and D.R. Lloyd (Austin, TX, USA) 55
Selective transport of calcium ion from a mixed cation solution through an HDEHP/n-dodecane supported liquid membrane
S.G. Nair and S-.T. Hwang (Cincinnati, OH, USA) 69
Mass transfer dynamics of the evaporation step in membrane formation by phase inversion
C.S. Tsay and A.J. McHugh (Urbana, IL, USA) 81
Carrier-mediated transport of uranyl ions across tributyl phosphate–dodecane liquid membranes
J.P. Shukla and S.K. Misra (Bombay, India) 93
The pressure drop in membrane module with spacers
J. Fárková (Prague, Czechoslovakia) 103
Swelling properties of partially hydrolyzed polyacrylamide gels and gelatin gels in aqueous media
W. Xie and J-.M. Valleton (Mont-Saint-Aignan, France) 113
The formation of asymmetric hollow fibre membranes for gas separation, using PPE of different intrinsic viscosities
J. Smid, J.H.M. Albers (Delft, Netherlands) and A.P.M. Kusters (Etten-Leur, Netherlands) 121
Membrane material effect on copper coupled transport through liquid membranes
M. Szpakowska (Gdansk-Wrzeszcz, Poland) and O. B.Nagy (Louvain-la-Neuve, Belgium) 129
Pervaporation separation of water–ethanol through modified chitosan membranes. IV. Phosphorylated chitosan membranes
Y.M. Lee and E.M. Shin (Seoul, S. Korea) 145
Dielectric theory of concentration polarization. Relaxation of capacitance and conductance for electrolyte solutions with locally varying conductivity
T. Hanai (Kyoto, Japan), K. Zhao (Changchun, China), K. Asaka and K. Asami (Kyoto, Japan) 153
Dielectric analysis of concentration polarization phenomena at cation-exchange membrane/solution interfaces by frequency variation and d.c. bias application
K. Zhao (Changchun, China), Y. Matsubara (E'hime, Japan), K. Asaka, K. Asami and T. Hanai (Kyoto, Japan) 163
Transport and reaction behavior of invertase ultrafiltration membranes made from substituted polysulfone
J. Kotzelski, E. Staude and M. Ulbricht (Essen, Germany) 173
Preparation of polyacrylonitrile ultrafiltration membranes from polymer solutions containing glycerol (*Short Communication*)
S. Petrov, A. Dimov, S. Petrova and P. Petkova (Bourgas, Bulgaria) 183

Meeting Announcements 187
Meetings Calendar 188

Contents Volume 64 (1991)

Vol. 64, Nos. 1+2 (November 15, 1991)

Publisher's Note v
Microporous membrane formation via thermally-induced phase separation. II. Liquid–liquid phase separation
D.R. Lloyd, S.S. Kim (Austin, TX, USA) and K.E. Kinzer (St. Paul, MN, USA) 1
Microporous membrane formation via thermally-induced phase separation. III. Effect of thermodynamic interactions on the structure of isotactic polypropylene membranes
S.S. Kim and D.R. Lloyd (Austin, TX, USA) 13
Microporous membrane formation via thermally-induced phase separation. IV. Effect of isotactic polypropylene crystallization kinetics on membrane structure
G.B.A. Lim, S.S. Kim, Q. Ye, Y.F. Wang and D.R. Lloyd (Austin, TX, USA) 31
Microporous membrane formation via thermally-induced phase separation. V. Effect of diluent mobility and crystallization on the structure of isotactic polypropylene membranes
S.S. Kim, G.B.A. Lim, A.A. Alwattari, Y.F. Wang and D.R. Lloyd (Austin, TX, USA) 41
Microporous membrane formation via thermally-induced phase separation. VI. Effect of diluent morphology and relative crystallization kinetics on polypropylene membrane structure
A.A. Alwattari and D.R. Lloyd (Austin, TX, USA) 55
Selective transport of calcium ion from a mixed cation solution through an HDEHP/n-dodecane supported liquid membrane
S.G. Nair and S-.T. Hwang (Cincinnati, OH, USA) 69
Mass transfer dynamics of the evaporation step in membrane formation by phase inversion
C.S. Tsay and A.J. McHugh (Urbana, IL, USA) 81
Carrier-mediated transport of uranyl ions across tributyl phosphate–dodecane liquid membranes
J.P. Shukla and S.K. Misra (Bombay, India) 93
The pressure drop in membrane module with spacers
J. Fárková (Prague, Czechoslovakia) 103
Swelling properties of partially hydrolyzed polyacrylamide gels and gelatin gels in aqueous media
W. Xie and J-.M. Valleton (Mont-Saint-Aignan, France) 113
The formation of asymmetric hollow fibre membranes for gas separation, using PPE of different intrinsic viscosities
J. Smid, J.H.M. Albers (Delft, Netherlands) and A.P.M. Kusters (Etten-Leur, Netherlands) 121
Membrane material effect on copper coupled transport through liquid membranes
M. Szpakowska (Gdansk-Wrzeszcz, Poland) and O. B.Nagy (Louvain-la-Neuve, Belgium) 129
Pervaporation separation of water–ethanol through modified chitosan membranes. IV. Phosphorylated chitosan membranes
Y.M. Lee and E.M. Shin (Seoul, S. Korea) 145
Dielectric theory of concentration polarization. Relaxation of capacitance and conductance for electrolyte solutions with locally varying conductivity
T. Hanai (Kyoto, Japan), K. Zhao (Changchun, China), K. Asaka and K. Asami (Kyoto, Japan) 153
Dielectric analysis of concentration polarization phenomena at cation-exchange membrane/solution interfaces by frequency variation and d.c. bias application
K. Zhao (Changchun, China), Y. Matsubara (E'hime, Japan), K. Asaka, K. Asami and T. Hanai (Kyoto, Japan) 163
Transport and reaction behavior of invertase ultrafiltration membranes made from substituted polysulfone
J. Kotzelski, E. Staude and M. Ulbricht (Essen, Germany) 173
Preparation of polyacrylonitrile ultrafiltration membranes from polymer solutions containing glycerol (*Short Communication*)
S. Petrov, A. Dimov, S. Petrova and P. Petkova (Bourgas, Bulgaria) 183

Meeting Announcements 187
Meetings Calendar 188

Vol. 64, No. 3 (December 1, 1991)

Studies in gas permeability and membrane gas separation in the Soviet Union (*Review*)
Yu.P. Yampol'skii and V.V. Volkov (Moscow, USSR) 191
Interactions of polyether-polyurethane with water vapour and water-methane separation selectivity
L. Di Landro, M. Pegoraro and L. Bordogna (Milano, Italy) 229
The deformation mechanisms of the porous structure of a poly(ethylene terephthalate) nuclear track membrane
V.V. Ovchinnikov (Moscow, USSR) 237
Electrical conductivity of cationic poly(vinyl alcohol) membranes having quaternary ammonium groups
T. Nakanishi, T. Akiyama, T. Seike, M. Satoh and J. Komiyama (Tokyo, Japan) 247
An experimental study of ion permeation in multicomponent ion systems as a function of membrane charge density
M. Higa (Saitama, Japan), A. Tanioka and K. Miyasaka (Tokyo, Japan) 255
Wheatstone bridge model for the laminated polydimethylsiloxane/polyethersulfone membrane for gas separation
A. Fouda, Y. Chen, J. Bai and T. Matsuura (Ottawa, Ont., Canada) 263
Formation of dynamic UF membrane with fine Zr particles
T. Ohtani, M. Nakajima, Y. Nawa and A. Watanabe (Ibaraki, Japan) 273
Molecular separation by thermosensitive hydrogel membranes
H. Feil, Y.H. Bae (Salt Lake City, UT USA), J. Feijen (Enschede, Netherlands) and S.W. Kim (Salt Lake City, UT USA) 283

Meeting Announcement 295
Meetings Calender 296
Author Index Volume 64 (1991) 298
Subject Index Volume 64 (1991) 299